

libbluray

Generated by Doxygen 1.8.0

Thu Apr 5 2012 13:03:32

Contents

| | | |
|----------|-------------------------------------------------|----------|
| 1 | Class Index | 1 |
| 1.1 | Class List | 1 |
| 2 | File Index | 3 |
| 2.1 | File List | 3 |
| 3 | Class Documentation | 5 |
| 3.1 | bd_chapter Struct Reference | 5 |
| 3.2 | bd_clip Struct Reference | 5 |
| 3.3 | BD_EVENT Struct Reference | 6 |
| 3.4 | bd_sound_effect Struct Reference | 6 |
| 3.5 | bd_stream_info Struct Reference | 6 |
| 3.6 | bd_title_info Struct Reference | 6 |
| 3.7 | BLURAY_DISC_INFO Struct Reference | 7 |
| 4 | File Documentation | 9 |
| 4.1 | src/libbluray/bluray.h File Reference | 9 |
| 4.1.1 | Detailed Description | 11 |
| 4.1.2 | Define Documentation | 12 |
| 4.1.2.1 | TITLES_ALL | 12 |
| 4.1.2.2 | TITLES_FILTER_DUP_CLIP | 12 |
| 4.1.2.3 | TITLES_FILTER_DUP_TITLE | 12 |
| 4.1.2.4 | TITLES_RELEVANT | 12 |
| 4.1.3 | Function Documentation | 12 |
| 4.1.3.1 | bd_chapter_pos | 12 |
| 4.1.3.2 | bd_close | 12 |
| 4.1.3.3 | bd_free_clpi | 12 |
| 4.1.3.4 | bd_free_title_info | 13 |
| 4.1.3.5 | bd_get_clpi | 13 |

| | | |
|----------|------------------------------------------|----|
| 4.1.3.6 | bd_get_current_angle | 13 |
| 4.1.3.7 | bd_get_current_chapter | 13 |
| 4.1.3.8 | bd_get_current_title | 13 |
| 4.1.3.9 | bd_get_disc_info | 14 |
| 4.1.3.10 | bd_get_event | 14 |
| 4.1.3.11 | bd_get_meta | 14 |
| 4.1.3.12 | bd_get_playlist_info | 14 |
| 4.1.3.13 | bd_get_sound_effect | 15 |
| 4.1.3.14 | bd_get_title_info | 15 |
| 4.1.3.15 | bd_get_title_size | 15 |
| 4.1.3.16 | bd_get_titles | 16 |
| 4.1.3.17 | bd_get_version | 16 |
| 4.1.3.18 | bd_menu_call | 16 |
| 4.1.3.19 | bd_mouse_select | 16 |
| 4.1.3.20 | bd_open | 17 |
| 4.1.3.21 | bd_play | 17 |
| 4.1.3.22 | bd_play_title | 17 |
| 4.1.3.23 | bd_read | 17 |
| 4.1.3.24 | bd_read_ext | 18 |
| 4.1.3.25 | bd_read_skip_still | 18 |
| 4.1.3.26 | bd_register_overlay_proc | 18 |
| 4.1.3.27 | bd_seamless_angle_change | 18 |
| 4.1.3.28 | bd_seek | 19 |
| 4.1.3.29 | bd_seek_chapter | 19 |
| 4.1.3.30 | bd_seek_mark | 19 |
| 4.1.3.31 | bd_seek_time | 19 |
| 4.1.3.32 | bd_select_angle | 20 |
| 4.1.3.33 | bd_select_playlist | 20 |
| 4.1.3.34 | bd_select_title | 20 |
| 4.1.3.35 | bd_set_player_setting | 21 |
| 4.1.3.36 | bd_tell | 21 |
| 4.1.3.37 | bd_tell_time | 21 |
| 4.1.3.38 | bd_user_input | 21 |

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

| | |
|------------------|---|
| bd_chapter | 5 |
| bd_clip | 5 |
| BD_EVENT | 6 |
| bd_sound_effect | 6 |
| bd_stream_info | 6 |
| bd_title_info | 6 |
| BLURAY_DISC_INFO | 7 |

Chapter 2

File Index

2.1 File List

Here is a list of all documented files with brief descriptions:

| | | |
|------------------------|-------|---|
| src/libbluray/bluray.h | | 9 |
|------------------------|-------|---|

Chapter 3

Class Documentation

3.1 bd_chapter Struct Reference

Public Attributes

- `uint32_t idx`
- `uint64_t start`
- `uint64_t duration`
- `uint64_t offset`

The documentation for this struct was generated from the following file:

- [src/libbluray/bluray.h](#)

3.2 bd_clip Struct Reference

Public Attributes

- `uint32_t pkt_count`
- `uint8_t still_mode`
- `uint16_t still_time`
- `uint8_t video_stream_count`
- `uint8_t audio_stream_count`
- `uint8_t pg_stream_count`
- `uint8_t ig_stream_count`
- `uint8_t sec_audio_stream_count`
- `uint8_t sec_video_stream_count`
- [`BLURAY_STREAM_INFO * video_streams`](#)
- [`BLURAY_STREAM_INFO * audio_streams`](#)
- [`BLURAY_STREAM_INFO * pg_streams`](#)
- [`BLURAY_STREAM_INFO * ig_streams`](#)
- [`BLURAY_STREAM_INFO * sec_audio_streams`](#)
- [`BLURAY_STREAM_INFO * sec_video_streams`](#)

The documentation for this struct was generated from the following file:

- [src/libbluray/bluray.h](#)

3.3 BD_EVENT Struct Reference

Public Attributes

- `uint32_t event`
- `uint32_t param`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

3.4 bd_sound_effect Struct Reference

Public Attributes

- `uint8_t num_channels`
- `uint32_t num_frames`
- `const int16_t * samples`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

3.5 bd_stream_info Struct Reference

Public Attributes

- `uint8_t coding_type`
- `uint8_t format`
- `uint8_t rate`
- `uint8_t char_code`
- `uint8_t lang [4]`
- `uint16_t pid`
- `uint8_t aspect`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

3.6 bd_title_info Struct Reference

Public Attributes

- `uint32_t idx`
- `uint32_t playlist`
- `uint64_t duration`

- `uint32_t clip_count`
- `uint8_t angle_count`
- `uint32_t chapter_count`
- `BLURAY_CLIP_INFO * clips`
- `BLURAY_TITLE CHAPTER * chapters`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

3.7 BLURAY_DISC_INFO Struct Reference

Public Attributes

- `uint8_t bluray_detected`
- `uint8_t first_play_supported`
- `uint8_t top_menu_supported`
- `uint32_t num_hdmi_titles`
- `uint32_t num_bdj_titles`
- `uint32_t num_unsupported_titles`
- `uint8_t aacs_detected`
- `uint8_t libaacs_detected`
- `uint8_t aacs_handled`
- `uint8_t bdplus_detected`
- `uint8_t libbdplus_detected`
- `uint8_t bdplus_handled`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

Chapter 4

File Documentation

4.1 src/libbluray/bluray.h File Reference

```
#include <stdint.h>
```

Classes

- struct `bd_stream_info`
- struct `bd_clip`
- struct `bd_chapter`
- struct `bd_title_info`
- struct `bd_sound_effect`
- struct `BLURAY_DISC_INFO`
- struct `BD_EVENT`

Defines

- #define `TITLES_ALL` 0
- #define `TITLES_FILTER_DUP_TITLE` 0x01
- #define `TITLES_FILTER_DUP_CLIP` 0x02
- #define `TITLES_RELEVANT` (`TITLES_FILTER_DUP_TITLE` | `TITLES_FILTER_DUP_CLIP`)
- #define `BLURAY_TITLE_FIRST_PLAY` 0xffff
- #define `BLURAY_TITLE_TOP_MENU` 0

Typedefs

- typedef struct bluray `BLURAY`
- typedef struct `bd_stream_info` `BLURAY_STREAM_INFO`
- typedef struct `bd_clip` `BLURAY_CLIP_INFO`
- typedef struct `bd_chapter` `BLURAY_TITLE_CHAPTER`
- typedef struct `bd_title_info` `BLURAY_TITLE_INFO`
- typedef struct `bd_sound_effect` `BLURAY_SOUND_EFFECT`
- typedef void(* `bd_overlay_proc_f`)(void *, const struct `bd_overlay_s` *const)

Enumerations

- enum **bd_stream_type_e** {

BLURAY_STREAM_TYPE_VIDEO_MPEG1 = 0x01, BLURAY_STREAM_TYPE_VIDEO_MPEG2 = 0x02, BLURAY_STREAM_TYPE_AUDIO_MPEG1 = 0x03, BLURAY_STREAM_TYPE_AUDIO_MPEG2 = 0x04,

BLURAY_STREAM_TYPE_AUDIO_LPCM = 0x80, BLURAY_STREAM_TYPE_AUDIO_AC3 = 0x81, BLURAY_STREAM_TYPE_AUDIO_DTS = 0x82, BLURAY_STREAM_TYPE_AUDIO_TRUHD = 0x83,

BLURAY_STREAM_TYPE_AUDIO_AC3PLUS = 0x84, BLURAY_STREAM_TYPE_AUDIO_DTSHD = 0x85, BLURAY_STREAM_TYPE_AUDIO_DTSHD_MASTER = 0x86, BLURAY_STREAM_TYPE_VIDEO_VC1 = 0xea,

BLURAY_STREAM_TYPE_VIDEO_H264 = 0x1b, BLURAY_STREAM_TYPE_SUB_PG = 0x90, BLURAY_STREAM_TYPE_SUB_IG = 0x91, BLURAY_STREAM_TYPE_SUB_TEXT = 0x92,

BLURAY_STREAM_TYPE_AUDIO_AC3PLUS_SECONDARY = 0xa1, BLURAY_STREAM_TYPE_AUDIO_DTSHD_SECONDARY = 0xa2 }
- enum **bd_video_format_e** {

BLURAY_VIDEO_FORMAT_480I = 1, BLURAY_VIDEO_FORMAT_576I = 2, BLURAY_VIDEO_FORMAT_480P = 3, BLURAY_VIDEO_FORMAT_1080I = 4,

BLURAY_VIDEO_FORMAT_720P = 5, BLURAY_VIDEO_FORMAT_1080P = 6, BLURAY_VIDEO_FORMAT_576P = 7 }
- enum **bd_video_rate_e** {

BLURAY_VIDEO_RATE_24000_1001 = 1, BLURAY_VIDEO_RATE_24 = 2, BLURAY_VIDEO_RATE_25 = 3,

BLURAY_VIDEO_RATE_30000_1001 = 4,

BLURAY_VIDEO_RATE_50 = 6, BLURAY_VIDEO_RATE_60000_1001 = 7 }
- enum **bd_video_aspect_e** { BLURAY_ASPECT_RATIO_4_3 = 2, BLURAY_ASPECT_RATIO_16_9 = 3 }
- enum **bd_audio_format_e** { BLURAY_AUDIO_FORMAT_MONO = 1, BLURAY_AUDIO_FORMAT_STEREO = 3, BLURAY_AUDIO_FORMAT_MULTI_CHAN = 6, BLURAY_AUDIO_FORMAT_COMBO = 12 }
- enum **bd_audio_rate_e** {

BLURAY_AUDIO_RATE_48 = 1, BLURAY_AUDIO_RATE_96 = 4, BLURAY_AUDIO_RATE_192 = 5, BLURAY_AUDIO_RATE_192_COMBO = 12,

BLURAY_AUDIO_RATE_96_COMBO = 14 }
- enum **bd_char_code_e** {

BLURAY_TEXT_CHAR_CODE_UTF8 = 0x01, BLURAY_TEXT_CHAR_CODE_UTF16BE = 0x02, BLURAY_TEXT_CHAR_CODE_SHIFT_JIS = 0x03, BLURAY_TEXT_CHAR_CODE_EUC_KR = 0x04,

BLURAY_TEXT_CHAR_CODE_GB18030_20001 = 0x05, BLURAY_TEXT_CHAR_CODE_CN_GB = 0x06, BLURAY_TEXT_CHAR_CODE_BIG5 = 0x07 }
- enum **bd_still_mode_e** { BLURAY_STILL_NONE = 0x00, BLURAY_STILL_TIME = 0x01, BLURAY_STILL_INFINITE = 0x02 }
- enum **bd_player_setting** {

BLURAY_PLAYER_SETTING_PARENTAL = 13, BLURAY_PLAYER_SETTING_AUDIO_CAP = 15, BLURAY_PLAYER_SETTING_AUDIO_LANG = 16, BLURAY_PLAYER_SETTING_PG_LANG = 17,

BLURAY_PLAYER_SETTING_MENU_LANG = 18, BLURAY_PLAYER_SETTING_COUNTRY_CODE = 19, BLURAY_PLAYER_SETTING_REGION_CODE = 20, BLURAY_PLAYER_SETTING_VIDEO_CAP = 29,

BLURAY_PLAYER_SETTING_TEXT_CAP = 30, BLURAY_PLAYER_SETTING_PLAYER_PROFILE = 31 }
- enum **bd_event_e** {

BD_EVENT_NONE = 0, BD_EVENT_ERROR, BD_EVENT_READ_ERROR, BD_EVENT_ENCRYPTED,

BD_EVENT_ANGLE, BD_EVENT_TITLE, BD_EVENT_PLAYLIST, BD_EVENT_PLAYITEM,

BD_EVENT_CHAPTER, BD_EVENT_END_OF_TITLE, BD_EVENT_AUDIO_STREAM, BD_EVENT_IG_STREAM,

BD_EVENT_PG_TEXTST_STREAM, BD_EVENT_PIP_PG_TEXTST_STREAM, BD_EVENT_SECONDARY_AUDIO_STREAM,

BD_EVENT_SECONDARY_VIDEO_STREAM,

BD_EVENT_PG_TEXTST, BD_EVENT_PIP_PG_TEXTST, BD_EVENT_SECONDARY_AUDIO, BD_EVENT_SECONDARY_VIDEO,

BD_EVENT_SECONDARY_VIDEO_SIZE, BD_EVENT_SEEK, BD_EVENT_STILL, BD_EVENT_STILL_TIME,

BD_EVENT_SOUND_EFFECT, BD_EVENT_POPUP, BD_EVENT_MENU }

Functions

- void `bd_get_version` (int *major, int *minor, int *micro)
- uint32_t `bd_get_titles` (BLURAY *bd, uint8_t flags, uint32_t min_title_length)
- `BLURAY_TITLE_INFO` * `bd_get_title_info` (BLURAY *bd, uint32_t title_idx, unsigned angle)
- `BLURAY_TITLE_INFO` * `bd_get_playlist_info` (BLURAY *bd, uint32_t playlist, unsigned angle)
- void `bd_free_title_info` (`BLURAY_TITLE_INFO` *title_info)
- BLURAY * `bd_open` (const char *device_path, const char *keyfile_path)
- void `bd_close` (BLURAY *bd)
- int64_t `bd_seek` (BLURAY *bd, uint64_t pos)
- int64_t `bd_seek_time` (BLURAY *bd, uint64_t tick)
- int `bd_read` (BLURAY *bd, unsigned char *buf, int len)
- int `bd_read_skip_still` (BLURAY *bd)
- int64_t `bd_seek_chapter` (BLURAY *bd, unsigned chapter)
- int64_t `bd_chapter_pos` (BLURAY *bd, unsigned chapter)
- uint32_t `bd_get_current_chapter` (BLURAY *bd)
- int64_t `bd_seek_mark` (BLURAY *bd, unsigned mark)
- int `bd_select_playlist` (BLURAY *bd, uint32_t playlist)
- int `bd_select_title` (BLURAY *bd, uint32_t title)
- int `bd_select_angle` (BLURAY *bd, unsigned angle)
- void `bd_seamless_angle_change` (BLURAY *bd, unsigned angle)
- uint64_t `bd_get_title_size` (BLURAY *bd)
- uint32_t `bd_get_current_title` (BLURAY *bd)
- unsigned `bd_get_current_angle` (BLURAY *bd)
- uint64_t `bd_tell` (BLURAY *bd)
- uint64_t `bd_tell_time` (BLURAY *bd)
- const `BLURAY_DISC_INFO` * `bd_get_disc_info` (BLURAY *)
- int `bd_set_player_setting` (BLURAY *bd, uint32_t idx, uint32_t value)
- int `bd_set_player_setting_str` (BLURAY *bd, uint32_t idx, const char *s)
- int `bd_start_bdj` (BLURAY *bd, const char *start_object)
- void `bd_stop_bdj` (BLURAY *bd)
- int `bd_get_event` (BLURAY *bd, `BD_EVENT` *event)
- int `bd_play` (BLURAY *bd)
- int `bd_read_ext` (BLURAY *bd, unsigned char *buf, int len, `BD_EVENT` *event)
- int `bd_play_title` (BLURAY *bd, unsigned title)
- int `bd_menu_call` (BLURAY *bd, int64_t pts)
- void `bd_register_overlay_proc` (BLURAY *bd, void *handle, `bd_overlay_proc_f` func)
- int `bd_user_input` (BLURAY *bd, int64_t pts, uint32_t key)
- int `bd_mouse_select` (BLURAY *bd, int64_t pts, uint16_t x, uint16_t y)
- int `bd_get_sound_effect` (BLURAY *bd, unsigned sound_id, struct `bd_sound_effect` *effect)
- struct meta_dl * `bd_get_meta` (BLURAY *bd)
- struct clpi_cl * `bd_get_clpi` (BLURAY *bd, unsigned clip_ref)
- void `bd_free_clpi` (struct clpi_cl *cl)

4.1.1 Detailed Description

external API header

4.1.2 Define Documentation

4.1.2.1 `#define TITLES_ALL 0`

all titles.

4.1.2.2 `#define TITLES_FILTER_DUP_CLIP 0x02`

remove titles that have duplicate clips.

4.1.2.3 `#define TITLES_FILTER_DUP_TITLE 0x01`

remove duplicate titles.

4.1.2.4 `#define TITLES_RELEVANT (TITLES_FILTER_DUP_TITLE | TITLES_FILTER_DUP_CLIP)`

remove duplicate titles and clips

4.1.3 Function Documentation

4.1.3.1 `int64_t bd_chapter_pos (BLURAY * bd, unsigned chapter)`

Find the byte position of a chapter

Parameters

| | |
|----------------|-----------------------------|
| <i>bd</i> | BLURAY object |
| <i>chapter</i> | chapter to find position of |

Returns

seek position of chapter start

4.1.3.2 `void bd_close (BLURAY * bd)`

Free libbluray objects

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

4.1.3.3 `void bd_free_clpi (struct clpi_cl * cl)`

Free CLPI_CL object

Parameters

| | |
|-----------|-----------------|
| <i>cl</i> | CLPI_CL objects |
|-----------|-----------------|

4.1.3.4 void bd_free_title_info (BLURAY_TITLE_INFO * *title_info*)

Free BLURAY_TITLE_INFO object

Parameters

| | |
|-------------------|--------------------------|
| <i>title_info</i> | BLURAY_TITLE_INFO object |
|-------------------|--------------------------|

4.1.3.5 struct clpi_cl* bd_get_clpi (BLURAY * *bd*, unsigned *clip_ref*) [read]

Get copy of clip information for requested playitem.

Parameters

| | |
|-----------------|---------------------------|
| <i>bd</i> | BLURAY objects |
| <i>clip_ref</i> | requested playitem number |

Returns

pointer to allocated CLPI_CL object on success, NULL on error

4.1.3.6 unsigned bd_get_current_angle (BLURAY * *bd*)

Return the current angle

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

current angle

4.1.3.7 uint32_t bd_get_current_chapter (BLURAY * *bd*)

Get the current chapter

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

current chapter

4.1.3.8 uint32_t bd_get_current_title (BLURAY * *bd*)

Returns the current title index

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

current title index

4.1.3.9 const BLURAY_DISC_INFO* bd_get_disc_info (BLURAY *)

Get information about current BluRay disc

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

pointer to [BLURAY_DISC_INFO](#) object, NULL on error

4.1.3.10 int bd_get_event (BLURAY * *bd*, BD_EVENT * *event*)

Get event from libbluray event queue.

Parameters

| | |
|--------------|--------------------------------------------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>event</i> | next BD_EVENT from event queue, NULL to initialize event queue |

Returns

1 on success, 0 if no events

4.1.3.11 struct meta_dl* bd_get_meta (BLURAY * *bd*) [read]

Get meta information about the bluray disc.

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

META_DL (disclib) object, NULL on error

4.1.3.12 BLURAY_TITLE_INFO* bd_get_playlist_info (BLURAY * *bd*, uint32_t *playlist*, unsigned *angle*)

Get information about a playlist

Parameters

| | |
|-----------------|-----------------------------------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>playlist</i> | playlist number |
| <i>angle</i> | angle number (chapter offsets and clip size depend on selected angle) |

Returns

allocated BLURAY_TITLE_INFO object, NULL on error

4.1.3.13 int bd_get_sound_effect (BLURAY * *bd*, unsigned *sound_id*, struct bd_sound_effect * *effect*)

Get sound effect

Parameters

| | |
|------------------|-------------------------|
| <i>bd</i> | BLURAY object |
| <i>effect_id</i> | sound effect id (0...N) |
| <i>effect</i> | sound effect data |

Returns

<0 when no effects, 0 when id out of range, 1 on success

4.1.3.14 BLURAY_TITLE_INFO* bd_get_title_info (BLURAY * *bd*, uint32_t *title_idx*, unsigned *angle*)

Get information about a title

Parameters

| | |
|------------------|-----------------------------------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>title_idx</i> | title index number |
| <i>angle</i> | angle number (chapter offsets and clip size depend on selected angle) |

Returns

allocated BLURAY_TITLE_INFO object, NULL on error

4.1.3.15 uint64_t bd_get_title_size (BLURAY * *bd*)

Returns file size in bytes of currently selected title, 0 in no title selected

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

file size in bytes of currently selected title, 0 if no title selected

4.1.3.16 `uint32_t bd_get_titles (BLURAY * bd, uint8_t flags, uint32_t min_title_length)`

This must be called after `bd_open()` and before `bd_select_title()`. Populates the title list in BLURAY. Filtering of the returned list is controled through title flags

Parameters

| | |
|-------------------------|----------------------------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>flags</i> | title flags |
| <i>min_title_length</i> | filter out titles shorter than <i>min_title_length</i> seconds |

Returns

number of titles found

4.1.3.17 `void bd_get_version (int * major, int * minor, int * micro)`

Get library version

4.1.3.18 `int bd_menu_call (BLURAY * bd, int64_t pts)`

Open BluRay disc Top Menu.

Current pts is needed for resuming playback when menu is closed.

Parameters

| | |
|------------|--------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>pts</i> | current playback position (1/90000s) or -1 |

Returns

1 on success, 0 if error

4.1.3.19 `int bd_mouse_select (BLURAY * bd, int64_t pts, uint16_t x, uint16_t y)`

Select menu button at location (x,y).

Parameters

| | |
|------------|--------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>pts</i> | current playback position (1/90000s) or -1 |
| <i>x</i> | mouse pointer x-position |
| <i>y</i> | mouse pointer y-position |

Returns

<0 on error, 0 when mouse is outside of buttons, 1 when mouse is inside button

4.1.3.20 **BLURAY* bd_open (const char * device_path, const char * keyfile_path)**

Initializes libbluray objects

Parameters

| | |
|---------------------|----------------------------------------|
| <i>device_path</i> | path to mounted Blu-ray disc or device |
| <i>keyfile_path</i> | path to KEYDB.cfg (may be NULL) |

Returns

allocated BLURAY object, NULL if error

4.1.3.21 **int bd_play (BLURAY * bd)**

Start playing disc in navigation mode (using on-disc menus).

Playback is started from "First Play" title.

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

1 on success, 0 if error

4.1.3.22 **int bd_play_title (BLURAY * bd, unsigned title)**

Play a title (from disc index).

Title 0 = Top Menu Title 0xffff = First Play title Number of titles can be found from [BLURAY_DISC_INFO](#).

Parameters

| | |
|--------------|------------------------------|
| <i>bd</i> | BLURAY object |
| <i>title</i> | title number from disc index |

Returns

1 on success, 0 if error

4.1.3.23 **int bd_read (BLURAY * bd, unsigned char * buf, int len)**

Read from currently selected title file, decrypt if possible

Parameters

| | |
|------------|--------------------------|
| <i>bd</i> | BLURAY object |
| <i>buf</i> | buffer to read data into |
| <i>len</i> | size of data to be read |

Returns

size of data read, -1 if error, 0 if EOF

4.1.3.24 int bd_read_ext (BLURAY * *bd*, unsigned char * *buf*, int *len*, BD_EVENT * *event*)

Read from currently playing title.

When playing disc in navigation mode this function must be used instead of [bd_read\(\)](#).

Parameters

| | |
|--------------|-----------------------------------------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>buf</i> | buffer to read data into |
| <i>len</i> | size of data to be read |
| <i>event</i> | next BD_EVENT from event queue (BD_EVENT_NONE if no events) |

Returns

size of data read, -1 if error, 0 if event needs to be handled first, 0 if end of title was reached

4.1.3.25 int bd_read_skip_still (BLURAY * *bd*)

Continue reading after still mode clip

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

0 on error

4.1.3.26 void bd_register_overlay_proc (BLURAY * *bd*, void * *handle*, bd_overlay_proc_f *func*)

Register overlay graphics handler function.

Parameters

| | |
|---------------|---------------------------------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>handle</i> | application-specific handle that will be passed to handler function |
| <i>func</i> | handler function pointer |

Returns

1 on success, 0 if error

4.1.3.27 void bd_seamless_angle_change (BLURAY * *bd*, unsigned *angle*)

Initiate seamless angle change

Parameters

| | |
|--------------|--------------------|
| <i>bd</i> | BLURAY object |
| <i>angle</i> | angle to change to |

4.1.3.28 int64_t **bd_seek** (BLURAY * *bd*, uint64_t *pos*)

Seek to pos in currently selected title

Parameters

| | |
|------------|---------------------|
| <i>bd</i> | BLURAY object |
| <i>pos</i> | position to seek to |

Returns

current seek position

4.1.3.29 int64_t **bd_seek_chapter** (BLURAY * *bd*, unsigned *chapter*)

Seek to a chapter. First chapter is 0

Parameters

| | |
|----------------|--------------------|
| <i>bd</i> | BLURAY object |
| <i>chapter</i> | chapter to seek to |

Returns

current seek position

4.1.3.30 int64_t **bd_seek_mark** (BLURAY * *bd*, unsigned *mark*)

Seek to a playmark. First mark is 0

Parameters

| | |
|-------------|---------------------|
| <i>bd</i> | BLURAY object |
| <i>mark</i> | playmark to seek to |

Returns

current seek position

4.1.3.31 int64_t **bd_seek_time** (BLURAY * *bd*, uint64_t *tick*)

Seek to specific time in 90Khz ticks

Parameters

| | |
|-------------|---------------|
| <i>bd</i> | BLURAY object |
| <i>tick</i> | tick count |

Returns

current seek position

4.1.3.32 int bd_select_angle(BLURAY * *bd*, unsigned *angle*)

Set the angle to play

Parameters

| | |
|--------------|---------------|
| <i>bd</i> | BLURAY object |
| <i>angle</i> | angle to play |

Returns

1 on success, 0 if error

4.1.3.33 int bd_select_playlist(BLURAY * *bd*, uint32_t *playlist*)

Select a playlist

Parameters

| | |
|-----------------|--------------------|
| <i>bd</i> | BLURAY object |
| <i>playlist</i> | playlist to select |

Returns

1 on success, 0 if error

4.1.3.34 int bd_select_title(BLURAY * *bd*, uint32_t *title*)

Select the title from the list created by [bd_get_titles\(\)](#)

Parameters

| | |
|--------------|-----------------|
| <i>bd</i> | BLURAY object |
| <i>title</i> | title to select |

Returns

1 on success, 0 if error

4.1.3.35 int bd_set_player_setting (BLURAY * *bd*, uint32_t *idx*, uint32_t *value*)

Update player setting registers

Parameters

| | |
|--------------|---------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>idx</i> | Player setting register |
| <i>value</i> | New value for player setting register |

Returns

1 on success, 0 on error (invalid setting)

4.1.3.36 uint64_t bd_tell (BLURAY * *bd*)

Return current pos

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

current seek position

4.1.3.37 uint64_t bd_tell_time (BLURAY * *bd*)

Return current time

Parameters

| | |
|-----------|---------------|
| <i>bd</i> | BLURAY object |
|-----------|---------------|

Returns

current time

4.1.3.38 int bd_user_input (BLURAY * *bd*, int64_t *pts*, uint32_t *key*)

Pass user input to graphics controller. Keys are defined in libbluray/keys.h. Current pts can be updated by using BD_V-K_NONE key. This is required for animated menus.

Parameters

| | |
|------------|--------------------------------------------|
| <i>bd</i> | BLURAY object |
| <i>pts</i> | current playback position (1/90000s) or -1 |
| <i>key</i> | input key |

Returns

<0 on error, 0 on success, >0 if selection/activation changed

Index

BD_EVENT, 6
BLURAY_DISC_INFO, 7
bd_chapter, 5
bd_chapter_pos
 bluray.h, 12
bd_clip, 5
bd_close
 bluray.h, 12
bd_free_clpi
 bluray.h, 12
bd_free_title_info
 bluray.h, 12
bd_get_clpi
 bluray.h, 13
bd_get_current_angle
 bluray.h, 13
bd_get_current_chapter
 bluray.h, 13
bd_get_current_title
 bluray.h, 13
bd_get_disc_info
 bluray.h, 14
bd_get_event
 bluray.h, 14
bd_get_meta
 bluray.h, 14
bd_get_playlist_info
 bluray.h, 14
bd_get_sound_effect
 bluray.h, 15
bd_get_title_info
 bluray.h, 15
bd_get_title_size
 bluray.h, 15
bd_get_titles
 bluray.h, 15
bd_get_version
 bluray.h, 16
bd_menu_call
 bluray.h, 16
bd_mouse_select
 bluray.h, 16
bd_open
 bluray.h, 16
bd_play
 bluray.h, 17
bd_play_title
 bluray.h, 17
bd_read
 bluray.h, 17
bd_read_ext
 bluray.h, 18
bd_read_skip_still
 bluray.h, 18
bd_register_overlay_proc
 bluray.h, 18
bd_seamless_angle_change
 bluray.h, 18
bd_seek
 bluray.h, 19
bd_seek_chapter
 bluray.h, 19
bd_seek_mark
 bluray.h, 19
bd_seek_time
 bluray.h, 19
bd_select_angle
 bluray.h, 20
bd_select_playlist
 bluray.h, 20
bd_select_title
 bluray.h, 20
bd_set_player_setting
 bluray.h, 20
bd_sound_effect, 6
bd_stream_info, 6
bd_tell
 bluray.h, 21
bd_tell_time
 bluray.h, 21
bd_title_info, 6
bd_user_input
 bluray.h, 21
bluray.h
 bd_chapter_pos, 12
 bd_close, 12
 bd_free_clpi, 12
 bd_free_title_info, 12
 bd_get_clpi, 13
 bd_get_current_angle, 13

bd_get_current_chapter, 13
bd_get_current_title, 13
bd_get_disc_info, 14
bd_get_event, 14
bd_get_meta, 14
bd_get_playlist_info, 14
bd_get_sound_effect, 15
bd_get_title_info, 15
bd_get_title_size, 15
bd_get_titles, 15
bd_get_version, 16
bd_menu_call, 16
bd_mouse_select, 16
bd_open, 16
bd_play, 17
bd_play_title, 17
bd_read, 17
bd_read_ext, 18
bd_read_skip_still, 18
bd_register_overlay_proc, 18
bd_seamless_angle_change, 18
bd_seek, 19
bd_seek_chapter, 19
bd_seek_mark, 19
bd_seek_time, 19
bd_select_angle, 20
bd_select_playlist, 20
bd_select_title, 20
bd_set_player_setting, 20
bd_tell, 21
bd_tell_time, 21
bd_user_input, 21
TITLES_ALL, 12
TITLES_RELEVANT, 12

src/libbluray/bluray.h, 9

TITLES_ALL
 bluray.h, 12
TITLES_RELEVANT
 bluray.h, 12