
gi-docgen

Release 2021.1

Emmanuele Bassi

May 24, 2024

CONTENTS:

1	Using GI-DocGen	1
2	Project configuration	5
3	Linking items by name	11
4	Introspection attributes	15
5	Templates	17
6	Content	21
7	Commands	25
8	Installation	31
9	Usage	33
10	Disclaimer	35
11	Copyright and Licensing terms	37

USING GI-DOCGEN

In order to use GI-DocGen, you will need:

- a library using GObject and generating introspection data as part of its build process
- a project configuration file

For the former, you should read [the gobject-introspection documentation](#), which includes all the details on how to write introspectable API.

1.1 Writing a project configuration file

The project configuration file provides some basic information describing your project, expressed in key/value pairs, and will be exposed to the template system used when generating the API reference through gi-docgen. Not every key is mandatory, and the template will decide whether or not use its value when generating the API reference. For simplicity, we're going to assume you're using the "basic" template that is part of gi-docgen.

The project configuration file is written using [ToML](#), and you can use the `--config` command line option for gi-docgen.

We begin with the library preamble:

```
::
# SPDX-FileCopyrightText: 2023 Your Name Here # SPDX-License-Identifier: CC0-1.0

[library] description = "The GTK toolkit" authors = "GTK Development Team" license = "GPL-2.1-or-later"
browse_url = "https://gitlab.gnome.org/GNOME/gtk/" repository_url = "https://gitlab.gnome.org/GNOME/gtk.
git" website_url = "https://www.gtk.org"
```

The keys above will be used in the main landing page for the library.

The copyright and license for the documentation configuration should be specified using [SPDX syntax](#).

If your project has dependencies, and you wish to display them or cross-link types and symbols from your API reference, you will need to describe them using the `dependencies` key, for instance:

```
# List the dependencies using their GIR namespace
dependencies = [
    "GObject-2.0",
    "Graphene-1.0",
    "Pango-1.0",
    "Gdk-4.0",
    "Gsk-4.0",
]
```

Each dependency will need its own object, for instance:

```
[dependencies."GObject-2.0"]
name = "GObject"
description = "The base type system library"
docs_url = "https://developer.gnome.org/gobject/stable"
```

The `name`, `description`, and `docs_url` keys will be used when generating the list of dependencies on the main landing page.

If you wish to add links to the source code repository for type and symbol declarations, as well as the location of the documentation source, you will need a `source-location` section:

```
[source-location]
# The base URL for the web UI
base_url = "https://gitlab.gnome.org/GNOME/gtk/-/blob/master/"
# The format for links, using "filename" and "line" for the format
file_format = "{filename}#L{line}"
```

If your library has additional content, in the form of Markdown files that you wish to include in the generated API reference, you can use the `extra` section:

```
[extra]
# A list of Markdown files; they will be parsed using the
# same rules as the documentation coming from the introspection
# data. The path of each file is relative to the content
# directory specified on the command line.
#
# The order in which they are included will be used when
# generating the index.
#
# The generated files will be placed in the root output directory
content_files = [
    "getting_started.md",
    "building.md",
    "compiling.md",
    "running.md",
    "question_index.md",
    ...
]
# Additional images referenced by the documentation; their path
# is relative to the content directory specified on the command
# line.
#
# The image files will be copied into the root documentation,
# without replicating the directory structure in which they
# are listed.
content_images = [
    "images/aboutdialog.png",
    "images/action-bar.png",
    "images/appchooserbutton.png",
    "images/appchooserdialog.png",
    ...
]
```

Each additional Markdown file should have its copyright and license specified as metadata in its header:

```
Title: An Extra Markdown File
SPDX-License-Identifier: LGPL-2.1-or-later
SPDX-FileCopyrightText: 2023 Your Name Here

# An Extra Markdown File

Content starts here...
```

For more information about the project configuration, please see the [Project configuration](#) page.

1.2 Generating the API reference

Once you have a project configuration file, and the introspection data for the library you wish to document, all you need is to launch the `gi-docgen` command line tool.

You will need to provide:

- the location of the project configuration file
- the location of the additional content files
- additional search paths for the dependencies
- the output directory for the generated files
- the location of the introspection file

A simple invocation for the installed `Gtk-4.0.gir` file is:

```
gi-docgen generate -C gtk4.toml /usr/share/gir-1.0/Gtk-4.0.gir
```

This will generate the API reference for the `Gtk-4.0` namespace, and will put the generate files under the current directory.

PROJECT CONFIGURATION

Projects using `gi-docgen` should provide their own configuration file to describe how to generate their API reference. The configuration file format uses [ToML](#) to provide key and value pairs that will be used by `gi-docgen` and, optionally, by the templates themselves. Project configuration takes precedence over `gi-docgen`'s defaults, but can be overridden by command line options, where applicable.

2.1 Standard sections and keys

2.1.1 The library section

The `library` section is used to define the library configuration values that `gi-docgen` will pass to the templates, as well as configuration switches that control the files generated by `gi-docgen`.

The following keys are used, if found:

version = s

The version of the library. This is the actual version of the shared library, as opposed to the version of the API as represented by the namespace.

authors = s

The name of the authors of the library, as a string.

license = s

The license of the documentation, as an [SPDX identifier](#).

website_url = s

The website for the library.

browse_url = s

The website that can be used to browse the source code of the library.

logo_url = s

The location of a logo image. This can be a local file, or a URL.

description = s

A short description of the library.

dependencies = dict(s, dict(s, s))

A dictionary of dependencies; each entry in the dictionary has a key in the form of `{namespace}-{version}`, and values in the form of a dictionary with the following keys: `name`, `description`, and `docs_url`. Each entry in this dictionary can only describe a namespace included in the introspection data; any other namespace listed here will be ignored. See the `related` configuration below.

related = dict(s, dict(s, s))

A dictionary of related namespaces; each entry in the dictionary has a key in the form of {namespace}-{version}, and values in the form of a dictionary with the following keys: `name`, `description`, and `docs_url`. Each entry in this dictionary can describe a namespace that is related to the project.

devhelp = b

Whether gi-docgen should generate a DevHelp file for the namespace.

search_index = b

Whether gi-docgen should generate a search index file for the namespace.

docs_url = s

The website that will provide this documentation.

2.1.2 The theme section

The `theme` section is used to define the theme being used by gi-docgen when generating the API reference of a project.

The following keys are used, if found:

templates_dir = s

The directory that contains the templates to be used by gi-docgen. The default directory is inside the gi-docgen module directory. This key can be overridden by the `--templates-dir` command line argument.

name = s

The name of the template to use. The name is a sub-directory of the `template_dir` directory, and will be used to load the template's configuration file. This key can be overridden by the `--theme-name` command line argument.

show_index_summary = b

A boolean value that controls whether to show the summary of each symbol in the namespace index.

show_class_hierarchy = b

A boolean value that controls whether to generate a class graph with the ancestors of a type, as well as the implemented interfaces. Requires the `dot` utility from [GraphViz](#) installed in the `PATH`.

2.1.3 The source-location section

The `source-location` section is used to define the location of the source code repository of a project to allow gi-docgen to create links from the API reference to the definition of symbols and the source of the documentation stanzas.

The following keys are used, if found:

base_url = s

The base URL for accessing a file in the source code repository.

file_format = s

The format string used to point to a file, and a line in that file; the string can contain the token {`filename`}, which will be replaced with the basename of the file; and the token {`line`}, which will be replaced with the line in the file. The default value for this key is: {`filename`}#L{`line`}.

2.1.4 The extra section

The `extra` section is used to define additional content used when generating the API reference of a project.

The following keys are used, if found:

`content_files = list(s)`

A list of tuples. The first element of the tuple is a Markdown file name, relative to the directories specified by the `--content-dir` command line arguments; the second element of the tuple is the title used for the link to the content file. When generating the API reference, gi-docgen will transform the Markdown file into an HTML one, using the same pre-processing filters applied to the documentation blocks found in the introspection data. The generated HTML files will be placed in the root directory of the namespace.

`content_images = list(s)`

A list of files, relative to the directories specified by the `--content-dir` command line arguments. The files will be copied in the root directory of the namespace.

Any image whose filename starts with `favicon` will be used as a favicon. Icons whose name ends in `{size}x{size}.png` for sizes in 32, 128, 180 (iOS), and 192 (Android) will be special cased.

`content_base_url = s`

The base URL for accessing a content file in the source code repository. The final URL will use the base name of the content file. You can use the `origin` field in the content metadata to control the base name of the file when generating the URL.

`urlmap_file = s`

Path of a JavaScript file that defines the mapping from namespaces to url prefixes for resolving links to external symbols, as a JavaScript map with the name `baseURLs`:

```
::
```

```
# SPDX-FileCopyrightText: 2023 Your Name Here # SPDX-License-Identifier: CC0-1.0
```

```
baseURLs = [
```

```
  [ 'Pango', 'https://gnome.pages.gitlab.gnome.org/pango/Pango/' ], [ 'PangoCairo', 'https://gnome.pages.gitlab.gnome.org/pango/PangoCairo/' ],
```

```
]
```

2.2 Symbol overrides

2.2.1 Visibility

It is possible to override the visibility of types, properties, and symbols in the introspection data from within the project configuration file.

The following example will hide the type `Protected`:

```
[[object]]
name = "Protected"
hidden = true
```

The type will be skipped when generating the API reference and the search index. This annotation applies to all possible top-level types:

- aliases
- bitfields
- callbacks

- classes
- domains
- enums
- functions
- function macros
- interfaces
- records
- unions

The `object` key is always an array of dictionaries; each element in the array can have a `name` key, used to match the object name exactly; or a `pattern` key, which uses a regular expression to match the object name.

Each object can contain the following keys:

- `name`: the name of the symbol to match exactly
- `pattern`: a regular expression to match the symbol name
- `hidden`: whether the symbol should be hidden from the documentation
- `check_ignore`: whether the symbol should be skipped when checking the documentation

Each element can also have the following sections:

- `property`
- `signal`
- `constructor`
- `method`
- `function`

Each one of these sections can contain array of objects.

The following example will hide the `backend` property on the `Printer` type:

```
[[object]]
name = "Printer"

[[object.property]]
name = "backend"
hidden = true
```

The following example will hide the `private-changed` signal on the `StyleProvider` type:

```
[[object]]
name = "StyleProvider"

[[object.signal]]
name = "private-changed"
hidden = true
```

The following example will skip the `quark` function on the `ParserError` type when checking the documentation:

```
[[object]]
name = "ParserError"

[[object.function]]
name = "quark"
check_ignore = true
```


LINKING ITEMS BY NAME

Gi-docgen is capable of linking symbols across the same introspected namespace, by using a qualifier fragment and the symbol name.

For instance:

```
/**
 * ExampleFoo:
 *
 * This structure is related to [struct@Bar].
 */

/**
 * example_foo_set_bar:
 *
 * Sets [struct@Example.Bar] on an instance of `Foo`.
 */

/**
 * ExampleFoo::bar-changed:
 *
 * Emitted when the [bar instance][struct@Example.Bar] changes.
 */

/**
 * ExampleFoo:bar:
 *
 * Sets an instance of [Bar](struct.Bar.html) on `Foo`.
 */
```

will all link to Bar.

Backticks will be stripped, so [`class@Foo``] will correctly link to Foo.

Fragment identifiers can be included to link to anchors in the target page: [`class@Foo#some-subheading`]. All subheadings in gi-docgen generated pages have an automatically generated anchor.

The link can either be a fully qualified name, which includes the namespace; or a name relative to the current namespace; for instance, both of the following links will point to ExampleFoo when generating the documentation for the “Example” namespace:

- [`class@Foo`]
- [`class@Example.Foo`]

The available qualifier fragments are:

Fragment	Argument	Description	Example
alias	TypeName	An alias to another type	[alias@Allocation]
callback	TypeName	A callback type	[callback@Gtk.ListBoxForeachFunc]
class	TypeName	An object class	[class@Widget], [class@Gdk.Surface], [class@Gsk.RenderNode]
const	CONSTANT	A constant or pre-processor symbol	[const@Gdk.KEY_q]
ctor	TypeName. constructor	A constructor function	[ctor@Gtk.Box.new], [ctor@Button. new_with_label]
enum	TypeName	A plain enumeration or member	[enum@Orientation], [enum@Orientation. HORIZONTAL]
error	TypeName	A GError domain enumeration or member	[error@Gtk.BuilderParseError], [error@Gtk. FileChooserError.NONEEXISTENT]
flags	TypeName	A bitfield or member	[flags@Gdk.ModifierType], [flags@Gdk. ModifierType.SHIFT_MASK]
func	function, TypeName. function	A global or a type function	[func@Gtk.init], [func@show_uri], [func@Gtk. Window.list_toplevels]
iface	TypeName	A GTypeInterface	[iface@Gtk.Buildable]
method	TypeName. method, TypeNameClass. method	An instance or class method	[method@Gtk.Widget.show], [method@WidgetClass.add_binding]
property	TypeName:prop	A GObject property	[property@Gtk.Orientable:orientation]
signal	TypeName::signal	A GObject signal	[signal@Gtk.RecentManager::changed]
struct	TypeName	A plain C structure or union	[struct@Gtk.TextIter]
vfunc	TypeName. virtual	A virtual function in a class or interface	[vfunc@Gtk.Widget.measure]
type	TypeName	A registered type	[type@Widget], [type@Gdk.ModifierType], [type@Gtk.TextIter]
id	function	A C symbol	[id@gtk_window_new], [id@g_signal_connect]

The generic type fragment, followed by a type, will look up the given type and generate the appropriate link for it. The type can be fully qualified or relative to the current namespace:

```
// Equivalent to [class@Gtk.Window]
[type@Gtk.Window]

// Equivalent to [enum@Gtk.Orientation]
[type@Gtk.Orientation]
```

Anything that is a known type—aliases, callbacks, classes, constants, enumerations, interfaces, structures—can be linked using the type fragment.

Additionally, the id fragment, followed by a C symbol identifier, will try to link to the function; for instance:

```
// Equivalent to [func@Gtk.show_uri], will link to gtk_show_uri()
[id@gtk_show_uri]
```

(continues on next page)

(continued from previous page)

```
// Equivalent to [method@Gtk.Widget.show], will link to gtk_widget_show()
[id@gtk_widget_show]

// Equivalent to [func@GObject.signal_emit], will link to g_signal_emit()
[id@g_signal_emit]
```

It's important to note that the `method` and `func` fragments can have multiple meanings:

- the `method` fragment will match both instance and class methods, depending on the type used; for instance, to match an instance method you should use the type name, and to match a class method you should use the class name. The class method should not be confused with the `vfunc` fragment, which uses the type name and links to virtual methods defined in the class or interface structure. Class methods take the class pointer as their first argument, whereas virtual methods take the instance pointer as their first argument.

```
// will link to gtk_widget_show()
[method@Gtk.Widget.show]

// will link to gtk_widget_class_add_binding()
[method@Gtk.WidgetClass.add_binding]

// will link to GtkWidgetClass.show
[vfunc@Gtk.Widget.show]
```

- similarly, the `func` fragment will match global functions and type functions, depending on whether the link contains a type or not. Additionally, `func` will match function macros, which are part of the global namespace.

```
// will link to gtk_show_uri()
[func@Gtk.show_uri]

// will link to gtk_window_list_toplevels()
[func@Gtk.Window.list_toplevels]

// will link to gtk_widget_class_bind_template_child()
[func@Gtk.widget_class_bind_template_child]
```

3.1 External Links

Gi-docgen can use the same syntax to point to symbols in other namespaces with gi-docgen-generated documentation, as long as you provide it with a mapping from the namespace names to a base url for the docs. This is done by defining a JavaScript map called `baseURLs` like this:

```
baseURLs = [
  [ 'Pango', 'https://gnome.pages.gitlab.gnome.org/pango/Pango/' ],
  [ 'PangoCairo', 'https://gnome.pages.gitlab.gnome.org/pango/PangoCairo/' ],
]
```

And specifying the path of the JavaScript file into the `extra` section of the project configuration, in the `urlmap_file` key.

INTROSPECTION ATTRIBUTES

GI-DocGen consumes the following attributes found in the introspection data when generating the API reference for that data.

4.1 Properties

The following attributes apply to properties.

org.gtk.Property.get = s

Defines the getter method for a given property. The value of the attribute is the C symbol of the function.

org.gtk.Property.set = s

Defines the setter method for a given property. The value of the attribute is the C symbol of the function.

org.gtk.Property.default = s

Defines the default value for a given property.

4.2 Methods

The following attributes apply to methods of a classed type or interface.

org.gtk.Method.set_property = s

Defines the property set by the function. The property name must be in the same type as the method

org.gtk.Method.get_property = s

Defines the property retrieved by the function. The property name must be in the same type as the method

org.gtk.Method.signal = s

Defines the signal emitted by the function. The signal name must be in the same type as the method

TEMPLATES

The *generate* command of *gi-docgen* uses [Jinja2](#) templates to generate the HTML pages of the API reference from the introspection data provided by a library.

5.1 Template configuration

Each template must contain a template configuration file, with the same name as the template all in lower case. The template configuration format is ToML.

The template configuration file can contain the following sections:

5.1.1 The metadata section

Contains template metadata, like licensing and author information:

name = s

The name of the template

author_name = s

The name of the author of the template

author_email = s

The email of the author of the template

copyright_year = s

The copyright year of the template

license = s

The license of the template, as an [SPDX identifier](#).

5.1.2 The templates section

Contains the template files for each section of the template. If the key is not present, the default file name is used.

class = s

The class template file. Default: `class.html`

interface = s

The interface template file. Default: `interface.html`

property = s

The property template file. Default: `property.html`

signal = s
The signal template file. Default: `signal.html`

method = s
The method template file. Default: `method.html`

vfunc = s
The virtual method template file. Default: `vfunc.html`

type_func = s
The type function template file. Default: `type_func.html`

ctor = s
The constructor function template file. Default: `type_func.html`

class_method = s
The class method template file. Default: `class_method.html`

error = s
The error domain template file. Default: `error.html`

flags = s
The bitfield template file. Default: `flags.html`

enum = s
The enumeration template file. Default: `enum.html`

record = s
The record template file. Default: `record.html`

union = s
The union template file. Default: `union.html`

alias = s
The alias template file. Default: `alias.html`

function = s
The function template file. Default: `function.html`

constant = s
The constant template file. Default: `constant.html`

namespace = s
The namespace template file. Default: `namespace.html`

content = s
The template file for additional content. Default: `content.html`

5.1.3 The css section

Contains style related data.

style = s
The main CSS file for the template

5.1.4 The `extra_files` section

Contains additional files that must be copied into the output directory after generating the reference.

`files = list(s)`

A list of files needed by the template. Each file is relative to the template's directory.

5.2 Template data

Each Jinja template file will be passed objects and additional data when gi-docgen renders the API reference.

All templates will receive:

- the `CONFIG` object, containing the project configuration
- the `namespace` object, containing the GIR namespace

Additionally, each template will receive a `template` object containing the information needed to render the template.

CONTENT

Gi-docgen parses the content of docblocks from the introspection data as plain Markdown, using the [Python-Markdown](#) module.

For more information on Markdown, please see [the syntax rules](#).

6.1 Basic syntax

These are the elements outlined in the original Markdown documentation.

Element	Markdown Syntax
Heading	<pre># H1 ## H2 ### H3</pre>
Bold	<pre>**bold text**</pre>
Italic	<pre><i>*italicized text*</i></pre>
Blockquote	<pre>> blockquote</pre>
Ordered list	<pre>1. First item 2. Second item 3. Third item</pre>
Unordered list	<pre>- First item - Second item - Third item</pre>
Code	<pre><code>`` code ``</code></pre>
Horizontal rule	<pre>---</pre>
Link	<pre>[title](https://www.example.com)</pre>
Image	<pre>![alt text](image.jpg)</pre>

6.2 Extensions

These are extensions to the basic syntax that are supported by gi-docgen:

- Definition Lists
- Fenced Code Blocks
- Tables

6.2.1 Admonitions

Gi-docgen supports “admonitions”: asides, like notes, tips, and warnings.

The syntax for admonitions is:

```
 ::: type "optional title within double quotes"
    Any number of other indented markdown elements.

    This is another paragraph within the admonition

    - This is a list
    - With two items
```

The type can be one of:

- note
- important
- warning
- seealso
- tip
- hint

If there is no title, each type of admonition will use a default title:

Type	Title
note	Note
important	Important
warning	Warning
seealso	See also
tip	Tip
hint	Hint

In order to distinguish the content of an admonition block from content following the admonition, you should add an empty line after the admonition, e.g.

```
 ::: tip
    This is a tip.

    This is still a tip
```

(continues on next page)

(continued from previous page)

This paragraph **is** outside the tip.

6.2.2 GTK-Doc compatibility

Gi-docgen tries to facilitate porting an API reference from gtk-doc. It automatically turns gtk-doc sigils into code fragments:

- `%CONSTANT`
- `#TypeName`
- `#TypeName:property`
- `#TypeName::signal`
- `symbol_name()`

Important: Gi-docgen does **not** turn gtk-doc sigils into links, as they lack the specificity to allow cross-linking.

COMMANDS

7.1 gi-docgen generate

7.1.1 Generating the API reference from introspection data

SYNOPSIS

gi-docgen generate [OPTIONS...] [GIRFILE]

DESCRIPTION

The **generate** command generates the API reference from a GIR file.

GIR files are XML files that describe an API in a machine readable way, and are typically provided by a GObject library.

OPTIONS

--add-include--path DIR

Adds DIR to the list of paths used to find introspection data files included in the given GIRFILE. The default search path for GIR files is `$XDG_DATA_DIRS/gir-1.0` and `$XDG_DATA_HOME/gir-1.0`; this option is typically used to include uninstalled GIR files, or non-standard locations.

-C, --config FILE

Loads a project configuration file.

--dry-run

Only load the introspection data, without generating the reference.

--templates-dir DIR

Look for templates under DIR. The default location for the templates directory is inside the `gi-docgen` installation.

--content-dir DIR

The directories for extra content, like additional files and images specified in the project configuration file. This argument may be called multiple times to specify several lookup directories, content files will be looked up in the content directories in the same order they are added.

--theme-name NAME

The name of the template to use. Overrides the name specified by the project configuration file.

--output-dir DIR

Generates the reference under DIR.

--no-namespace-dir

When specified, the files are directly generated under the output directory, instead of using a sub-directory based on the namespace name and version.

--section NAME

Only generate the section **NAME** of the reference. Valid section names are: `aliases`, `bitfields`, `callbacks`, `classes`, `constants`, `domains`, `enums`, `functions`, `function_macros`, `interfaces`, `structs`, and `unions`. Additionally, `all` will generate all sections, and `none` will generate no section.

7.2 gi-docgen gen-index

7.2.1 Generating the symbols index from introspection data

SYNOPSIS

gi-docgen gen-index [OPTIONS...] [GIRFILE]

DESCRIPTION

The **gen-index** command generates a symbols index from introspection data. The symbols index can be used to efficiently search symbols and terms.

The generated index file is called `index.json`

OPTIONS

--add-include--path DIR

Adds **DIR** to the list of paths used to find introspection data files included in the given **GIRFILE**. The default search path for GIR files is `$XDG_DATA_DIRS/gir-1.0` and `$XDG_DATA_HOME/gir-1.0`; this option is typically used to include uninstalled GIR files, or non-standard locations.

-C, --config FILE

Loads a project configuration file.

--dry-run

Only load the introspection data, without generating the index.

--content-dir DIR

The directories for extra content, like additional files and images specified in the project configuration file. This argument may be called multiple times to specify several lookup directories, the content files will be looked these directories in the same order they are added.

--output-dir DIR

Generates the index file under **DIR**.

INDEX FILE

The index file is in [JSON format](#).

The index file contains a single object with the following members:

meta = object

An object with metadata about the index.

symbols = array of objects

An array of all the addressable symbols.

terms = object

A dictionary of all terms.

The meta object contains the following members:

ns = s

The namespace name.

version = s

The namespace version.

generator = s

The gi-docgen string.

generator-version = s

The version of gi-docgen.

The symbols array contains objects with the following members:

type = s (*mandatory*)

The type of symbol: alias, bitfield, callback, class, class_method, ctor, domain, enum, function, function_macro, interface, method, property, signal, type_func, union, vfunc.

name = s (*mandatory*)

The name of the symbol.

ctype = s

The base C type for identifiers; only available for types: alias, bitfield, class, domain, enum, interface, union.

type_name = s

The type name related to a symbol; only available for types: class_method, ctor, method, property, signal, type_func, vfunc.

ident = s

The C identifier for symbols; only available for types: class_method, constant, ctor, function, function_macro, method, type_func.

struct_for = s

The C type related to a class structure; only available for the class_method type.

The terms dictionary contains all terms as members; each term is associated to an array of indices in the symbols array.

7.3 gi-docgen check

7.3.1 Check the documentation in the introspection data

SYNOPSIS

gi-docgen check [OPTIONS...] [GIRFILE]

DESCRIPTION

The **check** command runs a series of checks on the introspection file, to verify that public API is properly documented. It can be used as part of a test suite.

OPTIONS

--add-include--path DIR

Adds DIR to the list of paths used to find introspection data files included in the given GIRFILE. The default search path for GIR files is \$XDG_DATA_DIRS/gir-1.0 and \$XDG_DATA_HOME/gir-1.0; this option is typically used to include uninstalled GIR files, or non-standard locations.

-C, --config FILE

Loads a project configuration file.

7.4 gi-docgen serve

7.4.1 Serves the API reference on a local web server

SYNOPSIS

gi-docgen serve [OPTIONS...] [GIRFILE]

DESCRIPTION

The **serve** command generates the API reference from a GIR file and then serves the contents of the output directory via a local HTTP server.

OPTIONS

See: the *gi-docgen generate* command.

-b, --bind ADDRESS

The ADDRESS used by the HTTP server. The default is: 127.0.0.1.

-p, --port PORT

The PORT used by the HTTP server. The default is: 8080.

7.5 SYNOPSIS

gi-docgen COMMAND [OPTIONS...]

The `gi-docgen` command line utility has several commands, each with its own functionality and options.

7.6 COMMANDS

gi-docgen generate

Generates the API reference

gi-docgen gen-index

Generates the symbol indices for search

gi-docgen check

Checks the documentation

gi-docgen serve

Serves the API reference on a local web server

7.7 OPTIONS

All commands support the following options:

-q, --quiet

Do not emit any additional information message.

--fatal-warnings

Make all warnings fatal, immediately terminating the process.

--help

Show an help message.

7.8 ENVIRONMENT VARIABLES

All commands support the following environment variables:

GIDOCGEN_DEBUG

If set, `gi-docgen` will emit debugging messages.

7.9 BUGS

Report bugs at <https://gitlab.gnome.org/GNOME/gi-docgen/issues>

7.10 HOMEPAGE and CONTACT

<https://gnome.pages.gitlab.gnome.org/gi-docgen/>

7.11 AUTHOR

Emmanuele Bassi

GI-DocGen is a document generator for GObject-based libraries. GObject is the base type system of the GNOME project. GI-Docgen reuses the introspection data generated by GObject-based libraries to generate the API reference of these libraries, as well as other ancillary documentation.

INSTALLATION

8.1 Running GI-DocGen uninstalled

You can run GI-DocGen from its repository, by calling:

```
./gi-docgen.py
```

GI-DocGen will automatically detect this case.

8.2 Installing GI-DocGen via pip

To install GI-DocGen, you will need to have the following pieces of software available on your computer:

- Python 3.6, or later
- pip

Run the following command:

```
pip3 install --user gi-docgen
```

After running the command above, make sure to have the `$HOME/.local/bin` directory listed in your `$PATH` environment variable.

To update GI-DocGen, run the following command:

```
pip3 install --user --upgrade gi-docgen
```


USAGE

First, read *Using GI-DocGen*.

Additional documentation on how to control the generation of your project's API reference is available in the *Project configuration* page.

DISCLAIMER

GI-DocGen is **not** a general purpose documentation tool for C libraries.

While GI-DocGen can be used to generate API references for most GObject/C libraries that expose introspection data, its main goal is to generate the reference for GTK and its immediate dependencies. Any and all attempts at making this tool more generic, or to cover more use cases, will be weighted heavily against its primary goal.

If you need a general purpose documentation tool, I strongly recommend:

- [HotDoc](#)
- [Doxygen](#)
- [GTK-Doc](#)

COPYRIGHT AND LICENSING TERMS

Copyright 2021 GNOME Foundation

GI-DocGen is released under the terms of the Apache License, version 2.0, or under the terms of the GNU General Public License, either version 3.0 or, at your option, any later version.